


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 7401  
TRUNK HIGHWAY 14  
COUNTY Steele  
DISTRICT 68

LIMITS: Y. Co. Line - 0.19 mi. E. of Jct. T.H. 35 in Owatonna

YEAR BUILT	PROJECT N <sup>o</sup>	DESCRIPTION				CODE N <sup>o</sup>
		TYPE	WIDTH	THICK-NESS	REMARKS	
		Gravel	22'	2"	No Record of Constr.	
1925	14-7-37B	Grading Br. 4366	30'		25' B.S.	
1926	14-7-37B	Gravel	24'	3 1/2"	1600 C.Y./Mile.	
1926	14-7-38	Grading Br. 4365 4364 & 4363	30'		W. 108 D. 78 C.D.G. & C.S. & 50 C.D.G.	
1926	14-7-38	Gravel	24'	2 1/2"	1200 C.Y./Mile.	
1930	14-7-37D	Concrete	20'	8-7-9		
1930	14-7-38	Concrete	20'	8-7-9		
C	7401-02	Bit. Base (Widening) Plant Mix Bit.	3'	6"	On old concrete	
M	1956	A.F.E. 605 Bit. Seal Coat	22'		RT-10 & AGI, 23946 Gal. Agg. 1046 C.Y.	
M	1959	A.F.E. 605 Bit. Seal Coat	23'		RS-2, 6097 Gal. Agg. 245 C.Y.	
M	1960	Spot Bit. Seal Coat	23'		RS-2, 8972 Gal. Agg. 320 C.Y.	
C	7480-10	Grading Gravel sub-base & base P.C. Concrete	5 1/4'	8"	Divided Highway	
C	7401-06	Pl. Mix Bit. Resurf. Gravel Shldr.	24'	2 1/2"		
C	7401-07	Pl. Mix Bit. Resurf. Gravel Shldr. Br. 7401	24'	2 1/2"	Remove Br. 4363	



YEARS FROM	TOTAL MILES TO	UNINCORPORATED		INCORPORATED		RURAL		URBAN		
		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	
1921	1924	8.80	0.55	0.00	0.25	0.00	8.55	0.00	0.25	0.00
1925	1925	8.42	8.16	0.01	0.23	0.00	8.16	0.01	0.23	0.00
1926	1926	8.38	8.05	0.03	0.30	0.00	8.05	0.03	0.30	0.00
1966	1967	8.35	7.54	0.03	0.78	0.00	7.54	0.03	0.78	0.00
1968	1970	8.35	7.51	0.03	0.81	0.00	7.51	0.03	0.81	0.00
1971	1973	8.35	7.44	0.03	0.86	0.00	7.44	0.03	0.86	0.00
1974	1974	8.16	7.12	0.03	1.01	0.00	7.12	0.03	1.01	0.00

REMARKS: Layout is to scale as of 1926  
 (1) Contract not final but work substantially complete.  
 (2) Br. 7481 s.B. T.H. 35 over T.H. 14, Br. 74818 N.B. T.H. 35 over T.H. 14.

4.75



