
DOTTED AND CHANNELIZING LINE APPLICATIONS FOR EXIT RAMP WITH TAPERED DECELERATION LANE




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

1 SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR EXIT RAMP WITH PARALLEL DECELERATION LANE




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR MULTI-LANE EXIT RAMP WITH PARALLEL DECELERATION LANE THAT ALSO HAS OPTIONAL EXIT LANE THAT CARRIES THE THRU ROUTE




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

(1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR SINGLE LANE EXIT RAMP WITH LANE DROP




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR MULTI-LANE EXIT RAMP WITH PARALLEL DECELERATION LANE WITH LANE DROP AND THAT ALSO HAS OPTIONAL EXIT LANE THAT CARRIES THE THRU ROUTE




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

(1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR DUAL LANE EXIT RAMP WITH DUAL LANE DROP




DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

(1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

DOTTED AND CHANNELIZING LINE APPLICATIONS FOR ROUTE SPLIT WITH DEDICATED LANES



DESIGNER'S NOTES:

4" DOTTED WHITE LANE LINE IS OPTIONAL IN THE DECELERATION LANE TAPER.

(1) SEE "CROSSHATCHING" TYPICAL FOR DESIGN AND PLACEMENT OF OPTIONAL CROSSHATCHING IF USED.

PUBLISHED BY OTE: 20 NOV 2015

EXIT RAMP ON CURVED ROADWAY PAVEMENT MARKINGS

